

## ISLAMABAD ELECTRIC SUPPLY COMPANY LIMITED

No.IT(HQ)/IESCO/Coc/2270-72

Deputy Director (MM) IESCO Regional Store H-8,Islamabad.

Subject: ALLOCATION OF 05 NO. MOBILE PHONES (TECNO CAMON 30S) TO IESCO IT

DIRECTORATE FOR HHU/MOBILE METER READING

Ref: Noting by Dy. Director (CO) duly approved by worthy CEO IESCO Date: 07.07.2025

Reference to the Noting above, Worthy Chief Executive Officer, IESCO has very kindly approved the allocation of **05 No.** Mobile Phones (TECNO CAMON 30S) to IT Directorate, IESCO Head Office for **HHU/Mobile Meter Reading** with detail as mentioned below:

Sr. No.	Officer/Office	Equipment	Qty.	Remarks	
01.	IT Directorate (Detail List Attached)	Mobile Phone (TECNO CAMON 30S)	05	MM Directorate P.O No. 5846- 48/DD(IM)/CE(MM)/ IESCO Dated:26.06.2025	

You are requested to arrange the issuance of the above-mentioned equipment to the concerned officer/office after completing all necessary formalities, under intimation to this office.

## Note (For Officer Concern):

- The Officer In-Charge must submit a report within one month detailing the distribution of mobile phones, including IMEI numbers, Name, Designation, and SAP number of each recipient as per list attached.
- Any previously allocated Mobile Phone must be returned/retained as per SOP. This will help prevent any future audit Observations.

Dy. Director (CO) IESCO, Islamabad

Dated: 07/07/2025

## Copy to:

- 1) Director (MIS) IESCO Head Office, Islamabad
- 2) Caretaker IESCO IT Directorate, Islamabad
- Office Copy.

Telephone: +92-51-9252925 E-mail: dg\_is@iesco.com.pk

E-mail: dg\_is@iesco.com.pk Website: www.iesco.com.pk Fax: +92-51-9252927

IT Directorate, IESCO Head Office Street 40, G-7/4, Islamabad

	DE	TAIL OF ALLOCATION OF (TECNO CAM)		BILE PHONE	=	Annexure - A
S.NO	S/DIV CODE	NAME OF SUBDIVISION/DIVISION/ CIRCLE	Total No of Meter Readers as per Working Strength (A)	New Mobile Phone TECNO CAMON 30S		
				SE's, XEN's & SDO's (B)	MRS (C)	Meter Readers (D)
		IT DIRECTORATE				
146		HHU/Mobile Meter Reading IT Team		5		1